

### **Reach for more**

ActiveHeight<sup>TM</sup> and ActiveReach<sup>TM</sup> combine seamlessly to give you the ultimate advantage in accessing your environment. Seat elevation with integrated forward tilt creates the most innovative, functional, and stable seating solution on the market today.



10° of no charge ActiveReach with ActiveHeight

Up to 3.2 mph elevated drive speed

3.5" rearward shift during elevate for added stability and reduced footprint

3 points of contact for added stability



#### M3 Corpus

Meticulously engineered to help you maintain better positioning, feel more secure, and reduce driving fatigue so you can conquer daily activities with ease. Its compact base offers maneuverability in tight spaces without sacrificing performance. Featuring the innovative FlexLink suspension geometry with independent caster swing-arms helping to keep you stable and in control as you traverse the obstacles in your world. STRETCH-AIR breathable covers Up to 20° ActiveReach & 12" ActiveHeight

## M5 Corpus







# **Accent options**











Breakup®





Please note: Actual product colors may vary from colors shown in this brochure

Midnight

Arctic

Aqua


Spring

Sunset

Chili

Flamingo

Platinum



#### **Specifications**

Maximum user weight         330 lb         330 lb         265 lb           Maximum speed         6 mph         7.5 mph         6 mph           Range         16 mi (Grp 34)   20 mi (Grp 24)*         20 mi*         20 mi*           Base width         24"         25"         25"           Base length         35.5"         37.5"         36.5"	
Range       16 mi (Grp 34)   20 mi (Grp 24)*       20 mi*       20 mi*         Base width       24"       25"       25"         Base length       35.5"       37.5"       36.5"	
Base width         24"         25"         25"           Base length         35.5"         37.5"         36.5"	
<b>Base length</b> 35.5" 37.5" 36.5"	
-	
<b>Base turning radius</b> 20.5" 21.5" 22"	
Ground clearance 3" 3" 3"	
<b>Recommended battery type</b> Group 34 or 24 Group 24 Group 24	
Weight including batteries         385 lb (Grp 34)   405 lb (Grp 24)         423 lb         424 lb	
<b>Drive electronics</b> R-net Power Platform 120A R-net Power Platform 120A R-net Power Platform	120A
<b>Seat-to-floor height</b> 17.5", 18.5", 19.5" 17.5", 18.5", 19.5" 17.5", 18.5", 19.5"	1
Seat elevationOptional 12"Optional 14"12"	
<b>Drive wheel</b> 14" 14" 14"	
<b>Casters</b> 7" 8" 7"	
Posterior: 0° – 50° Posterior: 0° – 50°  Tilt options  ActiveReach: 5°, 10° & 20° ActiveReach: 5°, 10° & 20° Standing	۱۰
<b>Legrest angle - power</b> 85° – 180° 85° – 180° 85° – 180°	
<b>Backrest angle - power recline</b> 85° – 180° 85° – 180° 85° – 180°	
<b>Backrest height</b> 20", 23" – 28" (1" incr.) 20", 23" – 28" (1" incr.) 23" – 28" (1" incr.)	.)
<b>Seat depth</b> 14" – 22" (1" incr.) 14" – 22" (1" incr.) 14" – 22" (1" incr.)	)
<b>Seat width</b> 17" – 23" (2" incr.) 17" – 23" (2" incr.) 17" – 23" (2" incr.)	.)

<sup>\*</sup> Actual driving range will vary based on driving and battery conditions.

Specifications may vary based upon configuration. Please refer to your owners manual for warnings and instructions for the safe operation of your wheelchair in a variety of driving conditions. Chair weights are approximate and include base, batteries, power seat functions, and seating system without accessories.

